

**U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA)  
30-DAY NOTIFICATION FORM  
PURSUANT TO 40 CFR PART 60 SUBPARTS AAA AND QQQQ  
2015 STANDARDS OF PERFORMANCE FOR NEW RESIDENTIAL WOOD HEATERS, NEW  
RESIDENTIAL HYDRONIC HEATERS AND FORCED-AIR FURNACES**

Disclaimer: The statutory provisions and the EPA regulations described in this document contain legally binding requirements. This document is not a substitute for those provisions or regulations, nor is it a regulation itself. In the event of a discrepancy, please refer to 40 CFR PART 60 Subparts AAA AND QQQQ, Sections 60.533 and 60.5475. This document may be revised periodically without public notice. If you have additional questions, please contact Rafael Sanchez at 202-564-7028 or via email at [sanchez.rafael@epa.gov](mailto:sanchez.rafael@epa.gov).

- ▶ The manufacturer of an affected wood/pellet heater/central heater model line must notify the Administrator of the date that certification testing is scheduled to begin by email to [WoodHeaterReports@epa.gov](mailto:WoodHeaterReports@epa.gov).
- ▶ This notice must be received by the EPA at least 30 days before the start of testing.

**GENERAL INFORMATION**

Manufacturer's Name:

GIOVE GROUP S.r.l. (DBA KALON)

Appliance Type (Circle One):	Adjustable Burn Rate Wood Heater	<u>Pellet</u> Stove	Single Burn Rate Heater	Hydronic Heater	Forced Air Furnace	Other:
Hydronic Heater Type (Circle One):	Traditional	Full Storage	Partial Storage	Indoor/Outdoor	Other:	
Forced-Air Furnace Type (Circle One):	Small (less than 65,000 BTU/hr heat output)		Large (greater than 65,000 BTU/hr heat output)		Other:	
Fuel Type:	Crib	<u>Pellet</u>	Cordwood	Other:		

Model Name and Number:

MONOLITIK

Catalyst: Yes ☐ No ☒

Mailing Address:

GIOVE GROUP S.r.l.

Street Address:

VIA GIOTTO 6/8

City: <u>TARQUINIA</u>	State: <u>VT</u>	ZIP Code: <u>01016</u>
Phone: <u>+39 766 503503</u>	Fax:	Web Site: <u>WWW.KALONSTUFE.IT</u>

Address of Manufacturing Facility:

SAME

City:	State:	ZIP Code:
-------	--------	-----------

**EPA APPROVED TEST LABORATORY**

Name and Title of Authorized Representative: Danick Power

Company: Services Polytests inc.

**U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA)  
30-DAY NOTIFICATION FORM  
PURSUANT TO 40 CFR PART 60 SUBPARTS AAA AND QQQQ  
2015 STANDARDS OF PERFORMANCE FOR NEW RESIDENTIAL WOOD HEATERS, NEW  
RESIDENTIAL HYDRONIC HEATERS AND FORCED-AIR FURNACES**

Disclaimer: The statutory provisions and the EPA regulations described in this document contain legally binding requirements. This document is not a substitute for those provisions or regulations, nor is it a regulation itself. In the event of a discrepancy, please refer to 40 CFR PART 60 Subparts AAA AND QQQQ, Sections 60.533 and 60.5475. This document may be revised periodically without public notice. If you have additional questions, please contact Rafael Sanchez at 202-564-7028 or via email at [sanchez.rafael@epa.gov](mailto:sanchez.rafael@epa.gov).

- ▶ The manufacturer of an affected wood/pellet heater/central heater model line must notify the Administrator of the date that certification testing is scheduled to begin by email to [WoodHeaterReports@epa.gov](mailto:WoodHeaterReports@epa.gov).
- ▶ This notice must be received by the EPA at least 30 days before the start of testing.

Phone: 450 741-3636	E-mail: Dpower@polytests.com	Fax: NA
City: St-jean-sur-richelieu	State: Canada, Quebec	ZIP Code: J3B 7S7
<b>EPA APPROVED THIRD-PARTY CERTIFIER</b>		
Name and Title of Authorized Representative: <i>NICK SHREWSBURY-GEE PROJECT MANAGER</i>		
Company: <i>CSA GROUP</i>		
Phone:	E-mail: <i>NICK.SHREWSBURY-GEE@CSAGROUP.ORG</i>	Fax:
City: <i>TORONTO</i>	State: <i>ONTARIO</i>	ZIP Code: <i>M9W 1R3</i>
<b>COMPLIANCE TEST INFORMATION</b>		
Test Method(s): <i>ASTME2779 ; ASTM E 2515</i>		
Date(s) of Proposed Test: <i>October 7th 2021</i>		
Testing Location:  Polytests Services Inc. 695 B rue Gaudette, St-Jean-sur-Richelieu Québec, Canada, J3B 7S7 450.741.3636		

**U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA)  
30-DAY NOTIFICATION FORM  
PURSUANT TO 40 CFR PART 60 SUBPARTS AAA AND QQQQ  
2015 STANDARDS OF PERFORMANCE FOR NEW RESIDENTIAL WOOD HEATERS, NEW  
RESIDENTIAL HYDRONIC HEATERS AND FORCED-AIR FURNACES**

Disclaimer: The statutory provisions and the EPA regulations described in this document contain legally binding requirements. This document is not a substitute for those provisions or regulations, nor is it a regulation itself. In the event of a discrepancy, please refer to 40 CFR PART 60 Subparts AAA AND QQQQ, Sections 60.533 and 60.5475. This document may be revised periodically without public notice. If you have additional questions, please contact Rafael Sanchez at 202-564-7028 or via email at [sanchez.rafael@epa.gov](mailto:sanchez.rafael@epa.gov).

- ▶ The manufacturer of an affected wood/pellet heater/central heater model line must notify the Administrator of the date that certification testing is scheduled to begin by email to [WoodHeaterReports@epa.gov](mailto:WoodHeaterReports@epa.gov).
- ▶ This notice must be received by the EPA at least 30 days before the start of testing.

ANDREW LAGANA EXPORT DIRECTOR

Print Name and Title of Authorized Official

Signature

Date

Remarks:

v1



**U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA)  
30-DAY NOTIFICATION FORM  
PURSUANT TO 40 CFR PART 60 SUBPARTS AAA AND QQQQ  
2015 STANDARDS OF PERFORMANCE FOR NEW RESIDENTIAL WOOD HEATERS, NEW  
RESIDENTIAL HYDRONIC HEATERS AND FORCED-AIR FURNACES**

Disclaimer: The statutory provisions and the EPA regulations described in this document contain legally binding requirements. This document is not a substitute for those provisions or regulations, nor is it a regulation itself. In the event of a discrepancy, please refer to 40 CFR PART 60 Subparts AAA AND QQQQ, Sections 60.533 and 60.5475. This document may be revised periodically without public notice. If you have additional questions, please contact Rafael Sanchez at 202-564-7028 or via email at [sanchez.rafael@epa.gov](mailto:sanchez.rafael@epa.gov).

- ▶ The manufacturer of an affected wood/pellet heater/central heater model line must notify the Administrator of the date that certification testing is scheduled to begin by email to [WoodHeaterReports@epa.gov](mailto:WoodHeaterReports@epa.gov).
- ▶ This notice must be received by the EPA at least 30 days before the start of testing.

**GENERAL INFORMATION**

**Manufacturer's Name:**

**GIOVE GROUP s.r.l. (DBA Kalon )**

<b>Appliance Type (Circle One):</b>	Adjustable Burn Rate Wood Heater	Pellet Stove <input checked="" type="checkbox"/>	Single Burn Rate Heater	Hydronic Heater	Forced Air Furnace	Other:
<b>Hydronic Heater Type (Circle One):</b>	Traditional	Full Storage	Partial Storage	Indoor/Outdoor	Other:	
<b>Forced-Air Furnace Type (Circle One):</b>	Small (less than 65,000 BTU/hr heat output)		Large (greater than 65,000 BTU/hr heat output)		Other:	
<b>Fuel Type:</b>	Crib	Pellet	Cordwood	Other:		

**Model Name and Number:**

**SHUTO 8**

**Catalyst:** Yes ☐ No ☒

**Mailing Address:**

**GIOVE GROUP s.r.l.**

**Street Address:**

**Via Giotto 6/8**

<b>City:</b> Tarquinia	<b>State:</b> VT	<b>ZIP Code:</b> 01016
<b>Phone:</b> +39 766 503503	<b>Fax:</b>	<b>Web Site:</b> <a href="http://www.kalonstufe.it">www.kalonstufe.it</a>

**Address of Manufacturing Facility:**

**SAME**

<b>City:</b>	<b>State:</b>	<b>ZIP Code:</b>
--------------	---------------	------------------

**EPA APPROVED TEST LABORATORY**

**Name and Title of Authorized Representative:** Danick Power

**Company:** Services Polytests inc.

**U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA)  
30-DAY NOTIFICATION FORM  
PURSUANT TO 40 CFR PART 60 SUBPARTS AAA AND QQQQ  
2015 STANDARDS OF PERFORMANCE FOR NEW RESIDENTIAL WOOD HEATERS, NEW  
RESIDENTIAL HYDRONIC HEATERS AND FORCED-AIR FURNACES**

Disclaimer: The statutory provisions and the EPA regulations described in this document contain legally binding requirements. This document is not a substitute for those provisions or regulations, nor is it a regulation itself. In the event of a discrepancy, please refer to 40 CFR PART 60 Subparts AAA AND QQQQ, Sections 60.533 and 60.5475. This document may be revised periodically without public notice. If you have additional questions, please contact Rafael Sanchez at 202-564-7028 or via email at [sanchez.rafael@epa.gov](mailto:sanchez.rafael@epa.gov).

- ▶ The manufacturer of an affected wood/pellet heater/central heater model line must notify the Administrator of the date that certification testing is scheduled to begin by email to [WoodHeaterReports@epa.gov](mailto:WoodHeaterReports@epa.gov).
- ▶ This notice must be received by the EPA at least 30 days before the start of testing.

Phone: 450 741-3636	E-mail: <a href="mailto:Dpower@polytests.com">Dpower@polytests.com</a>	Fax: NA
City: St-jean-sur-richelieu	State: Canada, Quebec	ZIP Code: J3B 7S7
<b>EPA APPROVED THIRD-PARTY CERTIFIER</b>		
Name and Title of Authorized Representative: NICK SHREWSBURY-GEE PROJECT MANAGER		
Company: CSA GROUP		
Phone:	E-mail: <a href="mailto:Nick.shrewsbury-gee@csagroup.org">Nick.shrewsbury-gee@csagroup.org</a>	Fax:
City: TORONTO	State: ONTARIO CA	ZIP Code: M9W1R3
<b>COMPLIANCE TEST INFORMATION</b>		
Test Method(s): <i>ASTM E 2779 ; ASTM E 2515</i>		
Date(s) of Proposed Test: <i>10/13/2021</i>		
Testing Location: Polytests Services Inc. 695 B rue Gaudette, St-Jean-sur-Richelieu Québec, Canada, J3B 7S7 450.741.3636		

**U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA)  
30-DAY NOTIFICATION FORM  
PURSUANT TO 40 CFR PART 60 SUBPARTS AAA AND QQQQ  
2015 STANDARDS OF PERFORMANCE FOR NEW RESIDENTIAL WOOD HEATERS, NEW  
RESIDENTIAL HYDRONIC HEATERS AND FORCED-AIR FURNACES**

Disclaimer: The statutory provisions and the EPA regulations described in this document contain legally binding requirements. This document is not a substitute for those provisions or regulations, nor is it a regulation itself. In the event of a discrepancy, please refer to 40 CFR PART 60 Subparts AAA AND QQQQ, Sections 60.533 and 60.5475. This document may be revised periodically without public notice. If you have additional questions, please contact Rafael Sanchez at 202-564-7028 or via email at [sanchez.rafael@epa.gov](mailto:sanchez.rafael@epa.gov).

- ▶ The manufacturer of an affected wood/pellet heater/central heater model line must notify the Administrator of the date that certification testing is scheduled to begin by email to [WoodHeaterReports@epa.gov](mailto:WoodHeaterReports@epa.gov).
- ▶ This notice must be received by the EPA at least 30 days before the start of testing.

ANDREW LAGANA EXPORT DIRECTOR

Print Name and Title of Authorized Official

Signature

Date

Remarks:

v1



**U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA)  
30-DAY NOTIFICATION FORM  
PURSUANT TO 40 CFR PART 60 SUBPARTS AAA AND QQQQ  
2015 STANDARDS OF PERFORMANCE FOR NEW RESIDENTIAL WOOD HEATERS, NEW  
RESIDENTIAL HYDRONIC HEATERS AND FORCED-AIR FURNACES**

Disclaimer: The statutory provisions and the EPA regulations described in this document contain legally binding requirements. This document is not a substitute for those provisions or regulations, nor is it a regulation itself. In the event of a discrepancy, please refer to 40 CFR PART 60 Subparts AAA AND QQQQ, Sections 60.533 and 60.5475. This document may be revised periodically without public notice. If you have additional questions, please contact Rafael Sanchez at 202-564-7028 or via email at [sanchez.rafael@epa.gov](mailto:sanchez.rafael@epa.gov).

- ▶ The manufacturer of an affected wood/pellet heater/central heater model line must notify the Administrator of the date that certification testing is scheduled to begin by email to [WoodHeaterReports@epa.gov](mailto:WoodHeaterReports@epa.gov).
- ▶ This notice must be received by the EPA at least 30 days before the start of testing.

**GENERAL INFORMATION**

**Manufacturer's Name:**

**GIOVE GROUP s.r.l. (DBA Kalon )**

<b>Appliance Type (Circle One):</b>	Adjustable Burn Rate Wood Heater	Pellet Stove <input checked="" type="checkbox"/>	Single Burn Rate Heater	Hydronic Heater	Forced Air Furnace	Other:
<b>Hydronic Heater Type (Circle One):</b>	Traditional	Full Storage	Partial Storage	Indoor/Outdoor	Other:	
<b>Forced-Air Furnace Type (Circle One):</b>	Small (less than 65,000 BTU/hr heat output)		Large (greater than 65,000 BTU/hr heat output)		Other:	
<b>Fuel Type:</b>	Crib	Pellet	Cordwood	Other:		

**Model Name and Number:**

**SHUTO 10**

**Catalyst: Yes \_\_\_\_\_ No ☒**

**Mailing Address:**

**GIOVE GROUP s.r.l.**

**Street Address:**

**Via Giotto 6/8**

<b>City: Tarquinia</b>	<b>State: VT</b>	<b>ZIP Code: 01016</b>
<b>Phone: +39 766 503503</b>	<b>Fax:</b>	<b>Web Site: www.kalonstufe.it</b>

**Address of Manufacturing Facility:**

**SAME**

<b>City:</b>	<b>State</b>	<b>ZIP Code:</b>
--------------	--------------	------------------

**EPA APPROVED TEST LABORATORY**

**Name and Title of Authorized Representative: Danick Power**

**Company: Services Polytests inc.**

**U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA)  
30-DAY NOTIFICATION FORM  
PURSUANT TO 40 CFR PART 60 SUBPARTS AAA AND QQQQ  
2015 STANDARDS OF PERFORMANCE FOR NEW RESIDENTIAL WOOD HEATERS, NEW  
RESIDENTIAL HYDRONIC HEATERS AND FORCED-AIR FURNACES**

Disclaimer: The statutory provisions and the EPA regulations described in this document contain legally binding requirements. This document is not a substitute for those provisions or regulations, nor is it a regulation itself. In the event of a discrepancy, please refer to 40 CFR PART 60 Subparts AAA AND QQQQ, Sections 60.533 and 60.5475. This document may be revised periodically without public notice. If you have additional questions, please contact Rafael Sanchez at 202-564-7028 or via email at [sanchez.rafael@epa.gov](mailto:sanchez.rafael@epa.gov).

- ▶ The manufacturer of an affected wood/pellet heater/central heater model line must notify the Administrator of the date that certification testing is scheduled to begin by email to [WoodHeaterReports@epa.gov](mailto:WoodHeaterReports@epa.gov).
- ▶ This notice must be received by the EPA at least 30 days before the start of testing.

Phone: 450 741-3636	E-mail: <a href="mailto:Dpower@polytests.com">Dpower@polytests.com</a>	Fax: NA
City: St-jean-sur-richelieu	State: Canada, Quebec	ZIP Code: J3B 7S7

**EPA APPROVED THIRD-PARTY CERTIFIER**

Name and Title of Authorized Representative: NICK SHREWSBURY-GEE PROJECT MANAGER

Company:

CSA GROUP

Phone:	E-mail: <a href="mailto:Nick.shrewsbury-gee@csagroup.org">Nick.shrewsbury-gee@csagroup.org</a>	Fax:
City: TORONTO	State: ONTARIO CA	ZIP Code: M9W1R3

**COMPLIANCE TEST INFORMATION**

Test Method(s):

ASTM E2779 ; ASTM E2515

Date(s) of Proposed Test:  
10/14/2021

Testing Location:

Polytests Services Inc.  
695 B rue Gaudette,  
St-Jean-sur-Richelieu  
Québec, Canada, J3B 7S7  
450.741.3636

**U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA)  
30-DAY NOTIFICATION FORM  
PURSUANT TO 40 CFR PART 60 SUBPARTS AAA AND QQQQ  
2015 STANDARDS OF PERFORMANCE FOR NEW RESIDENTIAL WOOD HEATERS, NEW  
RESIDENTIAL HYDRONIC HEATERS AND FORCED-AIR FURNACES**

Disclaimer: The statutory provisions and the EPA regulations described in this document contain legally binding requirements. This document is not a substitute for those provisions or regulations, nor is it a regulation itself. In the event of a discrepancy, please refer to 40 CFR PART 60 Subparts AAA AND QQQQ, Sections 60.533 and 60.5475. This document may be revised periodically without public notice. If you have additional questions, please contact Rafael Sanchez at 202-564-7028 or via email at [sanchez.rafael@epa.gov](mailto:sanchez.rafael@epa.gov).

- ▶ The manufacturer of an affected wood/pellet heater/central heater model line must notify the Administrator of the date that certification testing is scheduled to begin by email to [WoodHeaterReports@epa.gov](mailto:WoodHeaterReports@epa.gov).
- ▶ This notice must be received by the EPA at least 30 days before the start of testing.

**ANDREW LAGANA EXPORT DIRECTOR**

Print Name and Title of Authorized Official

*Andrew Lagana*

Signature

*3/8/2021*

Date

Remarks:

v1



**U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA)  
30-DAY NOTIFICATION FORM  
PURSUANT TO 40 CFR PART 60 SUBPARTS AAA AND QQQQ  
2015 STANDARDS OF PERFORMANCE FOR NEW RESIDENTIAL WOOD HEATERS, NEW  
RESIDENTIAL HYDRONIC HEATERS AND FORCED-AIR FURNACES**

Disclaimer: The statutory provisions and the EPA regulations described in this document contain legally binding requirements. This document is not a substitute for those provisions or regulations, nor is it a regulation itself. In the event of a discrepancy, please refer to 40 CFR PART 60 Subparts AAA AND QQQQ, Sections 60.533 and 60.5475. This document may be revised periodically without public notice. If you have additional questions, please contact Rafael Sanchez at 202-564-7028 or via email at [sanchez.rafael@epa.gov](mailto:sanchez.rafael@epa.gov).

- ▶ The manufacturer of an affected wood/pellet heater/central heater model line must notify the Administrator of the date that certification testing is scheduled to begin by email to [WoodHeaterReports@epa.gov](mailto:WoodHeaterReports@epa.gov).
- ▶ This notice must be received by the EPA at least 30 days before the start of testing.

**GENERAL INFORMATION**

**Manufacturer's Name:**

**GIOVE GROUP s.r.l. (DBA Kalon )**

<b>Appliance Type (Circle One):</b>	Adjustable Burn Rate Wood Heater	Pellet Stove <input checked="" type="checkbox"/>	Single Burn Rate Heater	Hydronic Heater	Forced Air Furnace	Other:
<b>Hydronic Heater Type (Circle One):</b>	Traditional	Full Storage	Partial Storage	Indoor/Outdoor	Other:	
<b>Forced-Air Furnace Type (Circle One):</b>	Small (less than 65,000 BTU/hr heat output)		Large (greater than 65,000 BTU/hr heat output)		Other:	
<b>Fuel Type:</b>	Crib	Pellet	Cordwood	Other:		

**Model Name and Number:**

**SHUTO 12**

**Catalyst: Yes \_\_\_\_\_ No ☒**

**Mailing Address:**

**GIOVE GROUP s.r.l.**

**Street Address:**

**Via Giotto 6/8**

<b>City: Tarquinia</b>	<b>State: VT</b>	<b>ZIP Code: 01016</b>
<b>Phone: +39 766 503503</b>	<b>Fax:</b>	<b>Web Site: www.kalonstufe.it</b>

**Address of Manufacturing Facility:**

**SAME**

<b>City:</b>	<b>State</b>	<b>ZIP Code:</b>
--------------	--------------	------------------

**EPA APPROVED TEST LABORATORY**

**Name and Title of Authorized Representative: Danick Power**

**Company: Services Polytests inc.**

**U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA)  
30-DAY NOTIFICATION FORM  
PURSUANT TO 40 CFR PART 60 SUBPARTS AAA AND QQQQ  
2015 STANDARDS OF PERFORMANCE FOR NEW RESIDENTIAL WOOD HEATERS, NEW  
RESIDENTIAL HYDRONIC HEATERS AND FORCED-AIR FURNACES**

Disclaimer: The statutory provisions and the EPA regulations described in this document contain legally binding requirements. This document is not a substitute for those provisions or regulations, nor is it a regulation itself. In the event of a discrepancy, please refer to 40 CFR PART 60 Subparts AAA AND QQQQ, Sections 60.533 and 60.5475. This document may be revised periodically without public notice. If you have additional questions, please contact Rafael Sanchez at 202-564-7028 or via email at [sanchez.rafael@epa.gov](mailto:sanchez.rafael@epa.gov).

- ▶ The manufacturer of an affected wood/pellet heater/ central heater model line must notify the Administrator of the date that certification testing is scheduled to begin by email to [WoodHeaterReports@epa.gov](mailto:WoodHeaterReports@epa.gov).
- ▶ This notice must be received by the EPA at least 30 days before the start of testing.

Phone: 450 741-3636	E-mail: <a href="mailto:Dpower@polytests.com">Dpower@polytests.com</a>	Fax: NA
City: St-jean-sur-richelieu	State: Canada, Quebec	ZIP Code: J3B 7S7

**EPA APPROVED THIRD-PARTY CERTIFIER**

Name and Title of Authorized Representative: NICK SHREWSBURY-GEE PROJECT MANAGER

Company:

CSA GROUP

Phone:	E-mail: <a href="mailto:Nick.shrewsbury-gee@csagroup.org">Nick.shrewsbury-gee@csagroup.org</a>	Fax:
City: TORONTO	State: ONTARIO CA	ZIP Code: M9W1R3

**COMPLIANCE TEST INFORMATION**

Test Method(s):

*ASTM E 2515 ; ASTM E 2779*

Date(s) of Proposed Test:  
10/15/2021

Testing Location:

Polytests Services Inc.  
695 B rue Gaudette,  
St-Jean-sur-Richelieu  
Québec, Canada, J3B 7S7  
450.741.3636

**U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA)  
30-DAY NOTIFICATION FORM  
PURSUANT TO 40 CFR PART 60 SUBPARTS AAA AND QQQQ  
2015 STANDARDS OF PERFORMANCE FOR NEW RESIDENTIAL WOOD HEATERS, NEW  
RESIDENTIAL HYDRONIC HEATERS AND FORCED-AIR FURNACES**

Disclaimer: The statutory provisions and the EPA regulations described in this document contain legally binding requirements. This document is not a substitute for those provisions or regulations, nor is it a regulation itself. In the event of a discrepancy, please refer to 40 CFR PART 60 Subparts AAA AND QQQQ, Sections 60.533 and 60.5475. This document may be revised periodically without public notice. If you have additional questions, please contact Rafael Sanchez at 202-564-7028 or via email at [sanchez.rafael@epa.gov](mailto:sanchez.rafael@epa.gov).

- ▶ The manufacturer of an affected wood/pellet heater/central heater model line must notify the Administrator of the date that certification testing is scheduled to begin by email to [WoodHeaterReports@epa.gov](mailto:WoodHeaterReports@epa.gov).
- ▶ This notice must be received by the EPA at least 30 days before the start of testing.

ANDREW LAGANA EXPORT DIRECTOR

Print Name and Title of Authorized Official

Signature

Date

Remarks:

v1

